# Above Ground Stormwater Retention and Detention Tanks





Devan Plastics stormPANEL slimline water tanks offer stormwater solutions with a 10-year domestic warranty and are ready to be specified in your project.





## 30 YEARS OF PROVEN TANK MANUFACTURING

Devan Plastics has been the business of making tanks for over 30 years. If there is anything that time has taught us it is that our customers do not compromise when it comes to quality.


## **DESIGNED FOR EASY SPECIFICATION**


Devan's range of stormPANEL tanks are designed to AS/NZS4766 by independent engineers with generic seismic and wind restraint systems for New Zealand's most trying areas - PS1 Documents for restraints are available with all stormPANEL tanks.

### **DESIGNED TO BE SUSTAINABLE**


Devan stormPANEL tanks are manufactured from the highest quality polyethylene available which is ideally suited to our moulding technique, giving long life and trouble-free service. The material is certified to AS/NZS4766:2006, AS/ NZS4020:2005, and AS/NZS 2070 so are suitable for potable water.

Polyethylene cannot rot or corrode and is UV stabilised for New Zealand's harsh environmental conditions. The manufacturing process produces zero waste of polyethylene and the product is 100% recyclable. At the end of its useful life it can be returned to us to be recycled into other long lasting products.





Code	Product	Height	Width	Depth	Weight
SPT1	1,000L	1,950mm	1,520mm	460mm	60 kg
SPT2	2,000L AVAILABLE SOON	1,950mm	3,130mm	460mm	120 kg
SPARK	Restraint pole kit	2250mm	75mm	50mm	30 kg
SPAWB	Wall bracket restraint kit	- 20.0	-		2 kg
SPAB50	50mm Multi-tank Connection Kit - stormPANEL				





# FEATURES AND BENEFITS OF STORMPANEL

When space is tight stormPANEL tanks are ideal for existing and new homes. The tanks are designed to not be seen and the ease of handling was part of the design process from the start.



## **DESIGNED TO BE EASY**

Devan's range of stormPANEL tanks have been designed with moulded in lifting lugs for certified shackles.

Simple end panels allow for easy connection of 100mm, 90mm and 80mm stormwater pipe with the use of Wallace seals (sold separately).

A 300mm lid is fitted for ease of inspection and cleaning



#### **LARGE BRASS OUTLETS**

Devan's range of stormPANEL tanks have been designed with our famous brass 50mm BSP outlets, 1 at each end. When using or joining multiple tanks the larger outlet assists with balancing.

Extra 25mm outlets for orifice overflow points or garden taps are simple to install with our easy plumb fittings (sold separately)




1,000L top view

#### **ULTRA THIN - ONLY 460MM DEEP!**

Devan's range of stormPANEL tanks have been designed to take up as little space as possible.

The 1,000L and 2,000L models have been designed to connect together to increase volume





## UNIQUE MOUNTING SYSTEM

Devan's range of stormPANEL tanks have been designed with threaded M5 mounting points on one side to allow the fitting of custom art work, wooden trellis or other screening (not supplied with tank) - note that the attachments must be supported at ground level.





**Devan Plastics Limited** 

125 Birch Ave Tauranga 07 578 8726

26 Columbia Ave Christchurch 03 344 1065

